

## 2021 Urban Series

Urban Series offers a level of inclusion specifically tailored to the knock down rebuild market. The Urban Series of Inclusions cover all the essential pre-construction tests, surveys, services and permit requirements as well as allowing for more robust footings, a requirement in inner urban construction. By including these key items, there will be no nasty shocks after your second survey.

Urban Series Inclusions also include luxury fittings and fixtures such as Electrolux appliances, a dishwasher, quality floor covering, double glazed windows, upgraded brick selection, frameless shower screen doors and reconstituted stone to the kitchen and bathroom benchtops, just to name a few.

Urban Series Inclusions gives you variety and choice with an extensive range of included options to select from as well as the ability to customise your design to suit your lifestyle.

### General Allowances

#### Pre-Construction Services

Preliminary and second Soil test (if required), preliminary and second feature contour survey to AHD (if required), footing design, building permit application (if using Sienna Homes nominated surveyor). Re-establishment survey if required.

#### Foundations

Waffle slab construction up to class 'H' classification and up to 3m deep concrete piling if required. Includes Concrete slab to Alfresco and porch

#### Site Fall Allowance

Fall of land up to 300mm over building area

#### Service Allowance

Connection to existing services within boundary including fresh water, natural gas, sewer, storm water and single phase underground power provisions based on a maximum building setback of 5 metres and a maximum allotment size of 650m<sup>2</sup>

Includes:

Single phase underground power up to 12m from underground power pit to meter box location. Water tapping fee (dry tapped only) 2 water taps - 1 adjacent to water meter in front yard, 1 on wall attached to house as per contract drawings. Note: Water meter will be located directly in line with existing water tapping & at distance into front yard as installed by developer & water authority requirements.

Sewer tie connection up to 1500mm deep

Connection to stormwater assuming stormwater discharge point depth meets plumbing code requirements for fall

Client is responsible for connection, account opening fees & service usage costs during the construction process

#### Contract

Master Builders Association of Victoria Home Builders Contract.

### Client Services

#### Colour Browse Appointment

The start of your colour selection journey. This optional appointment is an opportunity to review the range of included fixtures and fittings before your formal Colour Selection Appointment,

### **Colour Selection Appointment**

A consultation with our Interior Designer to select your fittings, fixtures and colour scheme for your new home.

### **Design Tailoring Service**

An opportunity to review your requirements with your New Home Consultant and modify your chosen design to best suit your requirements. Please note some additional charges may apply.

### **Design Review**

An optional service, where you can meet with our Senior Design Consultant to review and discuss your revised tender drawings. Please note some charges may apply for additional changes after this point.

### **An appointed New Build Assistant**

One of our Client Liaison Executive will be assigned to your home build and will be your point of contact from contract through to handover

## External Features

### **Facade**

A choice of 4 included contemporary single storey or 5 double storey facades that includes a mix of face brickwork and render.

Unless an alternative is selected the default inclusion is the 'Sencillo' facade

### **Brick Selection**

Upgraded brick selection from up to the Urban Series Category 3 Range of colours and styles

### **Mortar Joints**

Natural colour with rolled joints

### **Structural**

Stabilised pine frame and trusses to manufacturers specification

### **Roof Cover**

A choice of Boral Slimline or Macquarie concrete colour on roof tiles (excluding sarking).

Unless an alternative is selected the default inclusion is the 'Slimline' profile

### **Roof Plumbing**

Colorbond fascia, guttering and downpipes.

### **Infills**

Brickwork over ground floor front, side, rear elevation to windows and doors with light weight infills over front garage door (unless indicated otherwise on drawings). Excludes corner windows, alfresco and corner sliding doors. Applicable to standard plans only.

### **Entry Door**

A choice of double 2040mm high entry doors (if design allows for double entry doors) either solicore or with clear glass inserts (paint finish).

Unless an alternative is selected the default inclusion is the 'Solicore flush panel' profile

Aluminium powder coated door frame with sidelight (where applicable)

### **Entry Door Hardware**

Gainsborough Align Trilock Lever to Front Entry lever set, keyed alike to all external hinged timber doors.

### **Windows**

Aluminium double glazed Awning windows with powdercoat finish and keyed locks.

'Boutique' and custom windows to be single glazed.

Clear glazing to bathroom, ensuite and WC windows (if applicable).

### **Sliding Doors**

Aluminium single glazed sliding doors with powdercoat finish and keyed locks.

### **Alfresco (design specific)**

Includes plaster ceiling

## Garage

### Front Garage Door

Colorbond Sectional overhead garage door with automatic motorised garage door opener (2 remotes)

### Garage Pedestrian doors

2040mm Solicore flush panel door with paint finish and Gainsborough Ambassador Contractor 500 Series lever set.

## Kitchen

### Benchtops

20mm thick Reconstituted Stone to Kitchen Benchtops with a choice of 20mm thick square edging with shadow-line, or 40mm thick square edging, selected from the Urban Series Category 1 range of colours

### Cabinetry

Laminated finish to kitchen base cupboard panels, doors & drawers selected from the matt, textured or sheen range of colours

6 No. Pot draws with soft closer hardware to kitchen

Laminated finish to kitchen base cupboard panels, doors & drawers selected from the matt, textured or sheen range of colours

Soft close hardware to drawers and doors (excludes corner cupboards)

Finger pull to overhead cupboards and cupboard handles to remainder from the Urban Series Category 1 range

### Appliances

A choice of a 600mm under bench ovens including 600mm multifunction, pyrolytic electric oven – dark finish or 900mm upright Westinghouse cooker.

*Unless an alternative is selected the default inclusion is the 'Electrolux EVE614SD 600mm Multifunction Electric Oven - Stainless Finish.'*

A choice of 600 or 900mm gas Electrolux cooktops including 900mm black ceramic gas cooktop (if upright cooker is not selected)

*Unless an alternative is selected the default, inclusion is the 'Electrolux EHG645SD 600mm Stainless Steel Gas Cooktop'*

A choice of 520mm to 900mm range hoods ducted into roof space (single storey only)

*Unless an alternative is selected the default inclusion is the 'Electrolux ERR627SA 600mm Stainless Steel Slideout Rangehood'*

Westinghouse freestanding stainless steel dishwasher -

### Kitchen Sink

A choice of Franke stainless steel kitchen sinks

*Unless an alternative is selected the default inclusion is the 'Spark double bowl inset stainless steel sink.'*

### Tapware

A choice of designer kitchen sink mixer tapware

*Unless an alternative is selected the default inclusion is the 'Alder Soho Gooseneck.'*

### Provisions

Dishwasher provision and connections.

Under-bench microwave space with pot drawer below

## Bathrooms, Ensuites & Powder Rooms

### Benchtops

20mm thick Reconstituted Stone to Vanity Benchtops with a choice of 20mm thick square edging with shadow-line, or 40mm thick square edging, selected from the Urban Category 1 range of colours

**Cabinetry**

Laminated finish to kitchen base cupboard panels, doors & drawers selected from the matt, textured or sheen range of colours  
Soft close hardware to doors  
Finger pull to overhead cupboards and cupboard handles to remainder from the Urban Series Category 1 range

**Basins**

A choice of Vitreous china basins with chrome waste and plug  
Unless an alternative is selected the default inclusion is the 'Stylus Venecia basins'  
Vitreous china Caroma Liano hand wall hung basin with chrome waste (if applicable as per contract drawings)

**Tapware**

A choice of designer mixer tapware to basins, showers and baths  
Unless an alternative is selected the default inclusion is the 'Alder Soho mixers'  
Alder Designer shower rails with HS305 hand piece and plastic soap dish

**Shower**

Raised Tiled shower bases  
2000mm high clear glazed semi-framed shower screen with silver trims & frameless pivot door.

**Mirror**

Polished edge mirrors above all vanity units positioned on vanity top

**Bath**

White acrylic bath in tiled hob

**Toilet Suite**

Stylus Venecia Vitreous china toilet suite with soft close acrylic seat.

**Laundry****Trough**

Laminated finish laundry base cabinet up to 900mm wide with laminated benchtop selected from the matt, textured or sheen range of colours

**Tap & Outlet**

A choice of designer mixer tapware to Laundry trough  
Unless an alternative is selected the default inclusion is the 'Alder Classico straight mixer'  
Chrome washing machine stop taps

**Internal Features****Ceiling Heights**

2550mm nominal ceiling height in single storey homes & ground floor of double storey homes  
2400mm nominal ceiling height to the first floor of double storey homes

**Internal Doors**

2040mm high flush panel internal hinged doors  
2100mm high vinyl sliding robe doors to bedrooms  
Hinged flush panel doors to linen cupboards in passage ways

**Internal Door Hardware**

A Choice of Designer internal hinged passage door sets and dummy sets to hinged cupboard doors.  
Unless an alternative is selected the default inclusion is the 'Gainsborough Lianna'  
Gainsborough rectangular corner flush pulls to internal passage sliding doors (if applicable).  
PVC cushion door stops to all hinged passage doors

**Paint**

Internal walls – 3 coat Wattyl Professional Choice washable low sheen paint system  
Woodwork and doors – Wattyl Professional Choice gloss enamel paint system

### **Mouldings**

Single bevelled 65 x 18mm PMDF architraves and skirtings  
75mm cove cornice throughout

### **Wall Tiling**

Wall tiling to wet areas & kitchen splashback as per contract drawings  
Skirting tiles to wet areas and laundry as per contract drawings  
All tiles from the Urban Series Category 1 range of tiles in standard laying patterns

## Floor coverings

### **Entry, Front Hallway, Main Living & Dining, Kitchen**

Choice of:

- Floor tiling from the Urban Series Category 1 range of tiles in standard laying patterns
- Clix laminate timber look floorboards from Category 1 range

Unless an alternative is selected the default inclusion is the 'floor tiles as above.'

### **Wet Areas & Laundry**

Floor tiling as per contract drawings from the Urban Series Category 1 range of tiles in standard laying patterns

### **Remainder of Home**

Stain resistant solution dyed nylon carpet to the remainder of home on Dunlop Foam Underlay from the Urban Series Category 2 range of carpets.

## Stairs

### **Stairs (double storey home)**

Custom MDF wood treads and risers with painted pine stringers  
Paint finish handrail  
Plaster dwarf wall balustrading

## Robes & Storage

### **Bedroom Robes & Coat Cupboards**

White melamine fixed shelf and a single hanging rod

### **Linen, Broom & Pantry Cupboards**

Four white melamine shelves to Linen and pantry  
One white melamine shelf to broom cupboard

## Electrical

### **Power Points**

Double power points throughout, single power points to microwave, dishwasher & refrigerator provisions

### **Internal Light points**

Fixed batten holder with cowl shades to all light points

### **External light points**

LED downlight to front porch (if applicable)  
Fixed batten holders with cowl shades to alfresco (if applicable)  
Fixed batten holder with weatherproof adapter to outside laundry

### **Switch Plates**

Light switches as identified on electrical plan

### **Exhaust Fans**

Sealed exhaust fans above showers  
Combination light / exhaust fan to water closets without external ventilation

### **TV points**

2 Free-to-Air TV points (cable left in roof space for future antenna)

**Smoke detectors**

Hard wired smoke detectors with battery backup

**Safety Switch**

RCD Safety switch and circuit breakers to meter box

**Insulation, Hot Water & Heating / Cooling****Insulation**

R2.0 Insulation batts and sarking to all external house walls (including internal garage/house wall).

R4.0 insulation batts to roof cavity above living zones

**Hot Water**

Rinnai solar hot water service with 175lt storage tank & 26L gas mains pressure booster system

**Heating**

Brivis 3 Star Gas ducted heating to living areas and bedrooms (refer to detailed drawings for locations).

**Draft Exclusions**

Sealed exhaust fans above showers

Draft seals to external hinged doors (excludes garage external pedestrian door)

**Post Construction****Post Construction**

90-day maintenance period

7-year structural guarantee

Inspection before handover

**Conditions:**

Please review all documentation thoroughly and seek independent advice prior to executing a contract.

Concrete footings inclusions do not include screw anchors if required due engineer's recommendations, excavation / removal of rock, contaminated soil. Does not include additional fall of land over 300mm, retaining walls, underpinning due to neighboring property's.

No upgrades of property services are included (i.e. Gas service, NBN, water supply, sewer, stormwater, power upgrades, underground power pits etc). Surcharges may apply to certain build areas – speak to your new homes consultant for more information. Sienna Homes reserves the right to substitute product with an equivalent product due to supply issues, agreements or availability. The products proposed to be incorporated in future building contracts may differ from the items listed in this inclusion list for a range of reasons including product availability and changes in manufacturer's specifications. You should review any quotation and contract carefully to ensure that all products specified meet your requirements.